



✓ Remanufactured
All Makes Diesel Fuel Injectors

Delphi
Technologies

Delphi Technologies



Ready to move you forward.


60 years of OE technology and expertise.

Delphi Technologies is proud to deliver OE technology and expertise to create green and global solutions – remanufacturing supports our focus on green by keeping parts on the road and out of landfills. Our remanufactured all makes injectors reflect our OE technological know-how ensuring each injector meets our specifications and provides optimal engine performance.



Each injector is completely disassembled, the components cleaned and examined for wear and breakage. All critical, worn out or non-functioning components are replaced with new parts to help ensure reliability and performance. Then, each injector is reassembled and tested for compliance in fuel delivery, injection pressure and timing.


Our remanufacturing process is streamlined, efficient and meticulous, demonstrating our commitment to Delphi Technologies quality.

Trust Delphi Technologies to ensure your parts are ready for the road ahead.

| Application | Seal Kit | Delphi Reman Part No. | OE/Reman Part No. | Features/Benefits |
|--|---------------------------------------|-----------------------|---|--|
|  <p>Remanufactured C7 Injectors</p> | HTK111 | EX634761 | 10R4761, 222-5961, 233-3536, 236-0973, 241-3238, 243-4502, 295-1408, 328-2583, 387-9430, 222-5959 | <ul style="list-style-type: none"> • New, unique trim code. • 100% Surface lapping of critical components. • 100% O-ring replacement. • 12 Month, unlimited mileage warranty. • 90 Day, no-hassle warranty. |
| | | EX634762 | 10R4762, 222-5962, 238-9808, 241-3239, 243-4503, 295-1409, 328-2584 | |
| | | EX634763 | 10R4763, 233-3535, 236-0974, 238-8091, 241-3400, 295-1410, 328-2582, 387-9428 | |
|  <p>Remanufactured C10/C12 Injectors</p> | HTK123 | EX630961 | 10R0961 | <ul style="list-style-type: none"> • New Actuator Assembly. • New Spill Valve and HP Washer. • 100% O-ring replacement. • Nozzle 100% flow tested. • 12 Month, unlimited mileage warranty. • 90 Day, no-hassle warranty. |
| | | EX630963 | 10R0963 | |
| | | EX630967 | 10R0967 | |
| | | EX630968 | 10R0968 | |
|  <p>Remanufactured C13 Injectors</p> | HTK112 | EX632977 | 10R2977, 249-0708 | <ul style="list-style-type: none"> • New, unique trim code. • New actuator assembly - spill valve solenoid*, NOP spring, washer, shim & stop in each injector. • 100% O-ring replacement. • 100% New Nozzle Replacement on C13 Injectors. • Nozzle 100% flow tested. • 12 Month, unlimited mileage warranty. • 90 Day, no-hassle warranty. <p>*C13 solenoids are replaced as needed</p> |
| | | | | |
|  <p>Remanufactured 3406E & C15 Injectors</p> | HTK112 | EX630955 | 10R0955, 211-3025 | <ul style="list-style-type: none"> • New unique trim code with EX631273 • Surface lapping of each critical component. • New actuator assembly - spill valve solenoid*, NOP spring, washer, shim & stop in each injector. • 100% O-ring replacement. • 100% New Nozzle Replacement on C15 Injectors. • Nozzle 100% flow tested on 3406E Injectors. • 12 Month, unlimited mileage warranty. • 90 Day, no-hassle warranty. <p>*C15 solenoids are replaced as needed</p> |
| | | EX630956 | 10R0956, 10R2782, 0R4332, 0R4895, 0R9256, 102-6236, 109-5038, 117-0481, 118-7929, 188-9027, 140-8951, 159-2631, 191-3002, 211-3022, | |
| | | EX630957 | 10R0957, 10R2781, 10R8501, 0R4119, 0R4300, 0R4331, 0R4894, 0R9257, 103-4562, 109-5021, 117-0482, 118-8010, 118-9030, 140-8993, 159-2479, 191-3003, 211-3023 | |
| | | EX630958 | 10R0958, 10R2780, 0R4118, 0R4668, 0R4893, 0R9258, 102-6230, 117-1146, 117-1148, 118-9035, 152-3680, 191-3004, 211-3024, 211-3027 | |
| | | EX631273 | 10R1273, 239-4909, 249-0709, 10R9236 | |
| | | EX635919 | 10R1000, 229-5919 | |
|  <p>Remanufactured HEUI® Series 3126B</p> | HTK124 | EX639348 | 145-9360, 155-1819, 173-1012, 173-4566, 173-9379, 188-1320, 222-5965, 0R9348 | <ul style="list-style-type: none"> • Surface lapping of each critical component. • New nozzle, solenoid, NOP spring, shim, screws, check balls in each injector. • 100% O-ring replacement. • 12 Month, unlimited mileage warranty. • 90 Day, no-hassle warranty. |
| | | EX639349 | 126-0499, 131-7150, 173-4059, 173-9267, 173-9268, 196-1401, 222-5967, 0R9349 | |
| | | EX639350 | 141-7837, 173-1013, 173-9272, 196-4229, 222-5972, 0R9350 | |
| | | EX630781 | 10R0781, 197-7107, 198-6605, 199-6065, 222-5926 | |
| | | EX630782 | 10R0782, 177-4754, 178-0198, 178-0199, 205-1285, 10R9237 | |
| EX631262 | 10R1262, 203-3771, 204-6714, 222-5963 | | | |

| Application | Seal Kit | Delphi Reman Part No. | | OE/Reman Part No. | | Features/Benefits |
|--|--|-----------------------|--|---|--|---|
| Cummins®  Remanufactured Celect® Injectors | HTK116 | EX631753 | | 3411753 | | <ul style="list-style-type: none"> • Surface lapping of each critical component. • New nozzle, NOP spring and spring seat in each injector. • New wiring harness. • 100% O-ring replacement. • 90 Day, no-hassle warranty. • Two year warranty or 125,000 miles on highway |
| | | EX631756 | | 3411756 | | |
| | | EX631758 | | 3411758 | | |
| | | EX631760 | | 3411760 | | |
| | | EX631761 | | 3087807, 3411761 | | |
| | | EX631763 | | 3087556, 3087788, 3095086, 3411762, 3411763 | | |
| | | EX631764 | | 3411764 | | |
| | | EX631766 | | 3411766 | | |
| | | EX631767 | | 3411767 | | |
| | | EX632542 | | 3652542 | | |
| | | EX637557 | | 3087557, 3411752 | | |
| EX637560 | | 3087650, 3411759 | | | | |
| Cummins®  Remanufactured ISX Injectors | HTK129 HTK130* <small>*Also includes filters</small> | EX638665 | | 4088665 | | <ul style="list-style-type: none"> • 100% new nozzle body and plunger. • 100% replacement of critical nozzle check valve components (spring seat, retainer, valve seal & spring). • 100% O-Ring, filter and HP seal replacement • 90 Day, no-hassle warranty. • Two year warranty or 125,00 miles on highway or 3,600 hours off highway. |
| | | EX634888 | | 4954888 | | |
| | | EX634434 | | 4954434 | | |
| Detroit Diesel®  Remanufactured Series 60® Injectors | HTK121 | EX631018 | | RFE4E00001 | | <ul style="list-style-type: none"> • Surface lapping of each critical component. • New nozzle, NOP spring, NCV, Electrical Connector in each injector. • 100% O-ring replacement. • 12 Month, unlimited mileage warranty. • 90 Day, no-hassle warranty. |
| Detroit Diesel®  Remanufactured Series 60® Injectors | HTK119 | EX634785 | EX635915 | R5234785 | R5235915 | <ul style="list-style-type: none"> • Surface lapping of each critical component. • New nozzle, NOP spring, NCV, Electrical Connector in each injector. • 100% O-ring replacement. • 12 Month, unlimited mileage warranty. • 90 Day, no-hassle warranty. |
| | | EX634795 | EX636347 | R5234795 | R5236347 | |
| | | EX634865 | EX636977 | R5234865 | R5236977 | |
| | | EX634870 | EX636978 | R5234870 | R5236978 | |
| | | EX634935 | EX636980 | R5234935 | R5236980 | |
| | | EX634940 | EX636981 | R5234940 | R5236981 | |
| | | EX634945 | EX637045 | R5234945 | R5237045 | |
| | | EX634970 | EX637099 | R5234970 | R5237099 | |
| | | EX635550 | EX637466 | R5235550 | R5237466 | |
| | | EX635575 | EX637635 | R5235575 | R5237635 | |
| | | EX635580 | EX637650 | R5235580 | R5237650 | |
| | | EX635600 | EX637820 | R5235600 | R5237820 | |
| | | EX635605 | EX637821 | R5235605 | R5237821 | |
| EX635695 | EX637822 | R5235695 | R5237822 | | | |
| Ford®  Remanufactured HEUI®(Light Duty) | HTK127 | EX63800AA | 1816187C3, 1821836C3, 1822800C95, APA63800AA, F4TZ9VE527AARM, F7TZ9E527ARM, F81Z9E527DRM | | <ul style="list-style-type: none"> • Surface lapping of each critical component. • New nozzle, solenoid, NOP spring, shim, screws, check balls in each injector. • 100% O-ring replacement. • 14 Month, unlimited mileage warranty. • 90 Day, no-hassle warranty. | |
| | | EX63801AB | 1822803C1, 1824582C94, 1825125C1, AP63801AB, F61Z9VE527BRM, F7TZ9E527BRM, F81Z9E527BRM | | | |
| | | EX63802AC | 1822890C1, 1824455C94, 1824456C96, | | | |
| | | EX63803AD | 1831487C92, 1831550C1, 1831551C1, | | | |
| | | EX63804AE | 1833645C1, 1833646C92, 1833647C91, 5C3Z-9VE527ARM, AP63804AE, F81Z9E527EARM, XC3Z9E527AARM | | | |
| | | EX63805AF | 1833641C1, F61Z-9VE527ERM | | | |

| Application | Seal Kit | Delphi Reman Part No. | OE/Reman Part No. | Features/Benefits |
|--|--|--|---|---|
|  <p>John Deere®</p> <p>Remanufactured 12.5L 6125/6125H, 10.5L 6105 Injectors</p> | HTK131 | EX631000 | RE64866, RE68806, RG27869, SE501952 | <ul style="list-style-type: none"> • Surface lapping of each critical component. • New nozzle, actuator valve, spill valve, NOP spring, washer, shim & stop in each injector. • 100% O-ring replacement. • 12 Month, unlimited mileage warranty. • 90 Day, no-hassle warranty. |
| | | EX631001 | RE63052, RE68665, RG27867, SE501954 | |
| | HTK132 | EX631009 | RE504468, RE505262, RG29930, RG33957, SE501995 | |
| | | EX631010 | RE504469, RE505318, RG29933, RG33958, SE501953 | |
| | HTK133 | EX631011 | RE505430, RE505967, RE517660, RE517661, RG30742, RG33966, SE501956 | |
| | | EX631012 | RE505207, RE508490, RE517659, RE517662, RG31717, RG33967, SE501957 | |
| EX631013 | | RE504092, RE508491, RE517658, RE517663, RG31719, RG33968, SE501958 | | |
|  <p>Navistar®</p> <p>Remanufactured HEUI® (Medium Duty)</p> | HTK127 | EX63807BA | 181934C1, 1819834C1, 1823736C94, 1824917C2, 1824928C94, 2593588C91 | <ul style="list-style-type: none"> • Surface lapping of each critical component. • New nozzle, solenoid, NOP spring, shim, screws, check balls in each injector. • 100% O-ring replacement. • 14 Month, unlimited mileage warranty. • 90 Day, no-hassle warranty. |
| | | EX63808BB | 1824739C1, 1824742C91, 1824918C2, 1824929C94, 2593589C91 | |
| | | EX63809BC | 1824740C1, 1824743C91, 1824919C2, 1824930C94, | |
| | | EX63810BD | 1824741C2, 1824744C94, 1824920C2, 1824931C94, 2593591C91 | |
| | | EX63811BE | 1824839C94, 1829336C1, 1829837C2, 1829838C94, 1829839C93, 1829926C2, 2593592C91 | |
| | | EX63812BF | 1830145C91, 1830146C92, 1830146C93, 1830146C94, 1830147C2, 1830148C2, 2593593C91 | |
| | | EX63813BI | 1830559C91, 1830560C2, 1830561C92, 1830562C2, 1830740C92, 1830741C92, 1830741C92P, 2593594C91, 2593595C91 | |
| | | EX63814BJ | 1830155C91, 1830156C91, 1830157C1, 1830158C1, 1830570C91, 1830573C2, 2593596C91 | |
| | | EX63815BN | 1830691C1, 1830692C91, 1830693C1, 1830694C91, 1830694C92P, 1830694C93, 2593597C91 | |
| EX63816BP | 1836250C1, 1836251C91, 1836252C91, 1836253C1 | | | |
|  <p>Volvo®</p> <p>Remanufactured 12.1L, D12A/D12C/D12D Injectors</p> | HTK131 | EX631002 | 8112557, 1547909 | <ul style="list-style-type: none"> • Surface lapping of each critical component. • New nozzle, actuator valve, spill valve, NOP spring, washer, shim & stop in each injector. • 100% O-ring replacement. • 12 Month, unlimited mileage warranty. • 90 Day, no-hassle warranty. |
| | | EX631003 | 8112660, 1547287 | |
| | | EX631004 | 8113092, 3964404 | |
| | | EX631006 | 8113180, 8170966 | |
| | | EX631007 | 8113837, 3169521 | |
| | | EX631008 | 8113411, 8170998 | |
|  <p>Volvo®</p> <p>Remanufactured 12.1L, D12C/D12D Injectors</p> | HTK131 | EX631015 | 20440388, 85000071 | <ul style="list-style-type: none"> • Surface lapping of each critical component. • New nozzle, NOP spring, NCV, Electrical Connector in each injector. • 100% O-ring replacement. • 12 Month, unlimited mileage warranty. • 90 Day, no-hassle warranty. |
| | | EX631016 | 20810168, 85000416 | |
| | | EX631017 | 20810171, 85000417 | |

| Application | Seal Kit | Delphi Reman Part No. | OE/Reman Part No. | Features/Benefits |
|--|----------|-----------------------|--|---|
|  <p>Volvo®</p> <p>Remanufactured D11F 11L/D13F 13L/D16F 16L Injectors</p> | HTK134 | EX631028 | 20833111*, 20893021*, 20965224*, 21028628*, 21106498*, 21246331*, 21457950, 21554442, 85000836*, 85000910*, 85003110*, 85003711, 85003886, 85013144*, 85013145*, 85013146*, 85013147, 85013148 | <ul style="list-style-type: none"> • New nozzle, NOP spring, NCV, Electrical Connector in each injector. • 100% O-ring replacement. • 12 Month, unlimited mileage warranty. • 90 Day, no-hassle warranty. |
| | | EX631029 | 20582430*, 20977565*, 21106375*, 21244717*, 21451295, 21543203, 85000817*, 85000914*, 85003109*, 85003656, 85003887, 85013149*, 85013150*, 85013151*, 85013152, 85013153 | |
| | | EX631030 | 20965225*, 21028629*, 21106499*, 21246332*, 21457951, 21543204, 85000837*, 85000911*, 85003111*, 85003714, 85003888, 85013154*, 85013155*, 85013156*, 85013157, 85013158 | |

* When replacing this flat seal type injector, all of the injectors on the engine must be changed to the latest conical sealing type.

Did You Know?

To ensure proper engine performance, the new unique trim code provided with applicable C7, C13 and C15 injectors must be entered into the ECM.



The trim code eliminates any variation in injector performance due to small differences in manufacturing tolerances, friction between components and fuel flow.

For more information, visit www.delphitrimcode.com